

Contents

- Adler G → Elsässer HP 143-148
 Ahlstedt S → Nilsson G 125-133
 Alvarez-Uria M → Diaz C 165-169
 Alving K → Nilsson G 125-133
 Anderson DG, Lopez GA, Bewernick D, Brazal S, Ponder J, Russom JM: Changes in renal morphology and renin secretion in the golden-mantled ground squirrel (*Spermophilus lateralis*) during activity and hibernation 99-104
 Asai J → Toshimori H 401-406
 Askenase PW → Kraeuter Kops S 415-424
 Azzali G: The passage of macrophages and lymphocytes from the interstitium across the lymphatic endothelium of rat lacteals 191-193
 Barbosa AJA, Nogueira JC, Redins CA, Nogueira AMMF, Van Noorden S, Polak JM: Histochemical and ultrastructural studies on the enterochromaffin-like cell in the gastric mucosa of the opossum *Didelphis albiventris* (Marsupialia) 425-430
 Bertram JF, Messina A, Ryan GB: In vitro effects of puromycin aminonucleoside on the ultrastructure of rat glomerular podocytes 203
 Bewernick D → Anderson DG 99-104
 Bischof H-J, Niemann J: Contralateral projections of the optic tectum in the zebra finch (*Taenopygia guttata castaneus*) 307-313
 Bischof P → Castellucci M 135-142
 Blest AD, O'Carroll DC, Carter M: Comparative ultrastructure of Layer I receptor mosaics in principal eyes of jumping spiders: the evolution of regular arrays of light guides 445-460
 Borst A → Stocker RF 9-34
 Brazal S → Anderson DG 99-104
 Breucker H → Davidoff MS 253-261
 Buchholz C → Mentlein R 431-443
 Buhl A → Zelei BV 407-413
 Caner H, Tamamaki N, Handa Y, Hayashi M, Nojyo Y: Appearance of retrogradely labeled neurons in the rat superior cervical ganglion after injection of wheat-germ agglutinin-horseradish peroxidase conjugate into the contralateral ganglion 53-57
 Carlisle L, Steel K, Forge A: Endocochlear potential generation is associated with intercellular communication in the stria vascularis: Structural analysis in the *viable dominant spotting* mouse mutant 329-337
 Carraway RE → McKeon TW 461-466
 Carter M → Blest AD 445-460
 Castellucci M, Kaufmann P, Bischof P: Extracellular matrix influences hormone and protein production by human chorionic villi 135-142
 Cavallini L → Mazzocchi G 41-46
 Chang JP → Wang JJ 273-281
 Cheung R, Plisetskaya EM, Youson JH: Distribution of two forms of somatostatin in the brain, anterior intestine, and pancreas of adult lampreys (*Petromyzon marinus*) 283-292
 Couet H-G de → Stowe S 483-499
 Cracco C → Vercelli A 551-557
 Cronin CT → Kraeuter Kops S 415-424
 Daikoku S → Kagotani Y 47-52
 Dannhorn DR, Kirchner C: Uptake and accumulation of tritiated uteroglobin by day-6 rabbit blastocysts 569-577
 Davidoff MS, Breucker H, Holstein AF, Seidl K: Cellular architecture of the lamina propria of human seminiferous tubules 253-261
 Davis D → Stowe S 483-499
 Delarea Y → Fishelson L 397-400
 Diani AR → Zelei BV 407-413
 Diaz C, Alvarez-Uria M, Tolivia J, López JM: Circadian changes in synaptic ribbons and spherules in pinealocytes of the Syrian hamster (*Mesocricetus auratus*) 165-169
 Dijkstra CD → Harms G 35-40
 Distel H → Meisami E 89-97
 Dobó E, Kása P, Joó F, Wentholt RJ, Wolff JR: Structures with GABA-like and GAD-like immunoreactivity in the cervical sympathetic ganglion complex of adult rats 351-361
 Dunn-Meynell AA → Schlussman SD 531-541
 Ekman R → Keith IM 543-550
 Elekes K, Nässel DR: Distribution of FMRFamide-like immunoreactive neurons in the central nervous system of the snail *Helix pomatia* 177-190
 Elsässer HP, Pupalat D, Adler G, Kern HF: Stimulation of pancreatic secretory process in the rat by low-molecular weight proteinase inhibitor. III. Changes in DNA synthesis and mitotic activity 143-148
 Feldmann G → Oudar O 579-585
 Ferrary E → Oudar O 579-585
 Fischbach K-F → Stocker RF 9-34
 Fishelson L, Gibson RN, Delarea Y: Unusual cell organelles during spermiogenesis in two species of gobies (Gobiidae, Teleostei) 397-400
 Flores V → Lane NJ 373-385
 Forge A → Carlisle L 329-337
 Forsgren S → Moravec M 315-327
 Gabella G, Uvelius B: Urinary bladder of rat: fine structure of normal and hypertrophic musculature 67-79
 Garcia-Ararrás JE, Martínez R: Developmental expression of serotonin-like immunoreactivity in the sympathoadrenal system of the chicken 363-372
 Garrido O → Rodríguez EM 105-113
 Gibson RN → Fishelson L 397-400
 Gilbert CL, Hunter MG, Southee JA, Wathes DC: Immunocytochemical localization of oxytocin in corpora lutea and luteinized cysts from anoestrous ewes stimulated with gonadotrophin-releasing hormone 157-164
 Gillot I → Maggio K 149-156
 Good MJ → Stephens RE 301-306
 Goto K, Yamagata K, Miki N, Kondo H: Direct photosensitivity of chick pinealocytes as demonstrated by visinin immunoreactivity 501-505
 Gounon P → Tournier A 387-396
 Gracia-Navarro F, Porter D, Malagón MM, Licht P: Stereological study of gonadotropes in the frog, *Rana pipiens*, after GnRH stimulation in vitro 171-176
 Halfter W, Liverani D, Vigny M, Monard D: Deposition of extracellular matrix along the pathways of migrating fibroblasts 467-481
 Handa Y → Caner H 53-57
 Hardonk MJ → Harms G 35-40
 Harms G, Dijkstra CD, Hardonk MJ: Glycosyl receptors in macrophage subpopulations of rat spleen and lymph node. A comparative study using neoglycoproteins and monoclonal antibodies ED1, ED2 and ED3 35-40
 Hayakawa M, Kobayashi M, Hoshino T: Microfibrils: a constitutive component of reticular fibers in the mouse lymph node 199-201
 Hayashi M → Caner H 53-57
 Hernandez-Nicaise ML → Maggio K 149-156
 Hildebrand JG → Stengl M 245-252
 Hisano S → Kagotani Y 47-52
 Hoffman JR → Phillips GD 81-88
 Hökfelt T → Nilsson G 125-133
 Holstein AF → Davidoff MS 253-261
 Homberg U → Stengl M 245-252
 Hoshino T → Hayakawa M 199-201
 Houdon R → Meisami E 89-97
 Hunter MG → Gilbert CL 157-164
 Ikeda K → Koenig JH 233-244
 Izumi S, Takeya M, Takagi K, Takahashi K: Ontogenetic development of synovial A cells in fetal and neonatal rat knee joints 1-8
 Johnson GA → Zelei BV 407-413
 Joó F → Dobó E 351-361
 Kagotani Y, Hisano S, Tsuruo Y, Daikoku S, Okimura Y: Intragranular co-storage of neuropeptide Y and arginine vasopressin in the paraventricular magnocellular neurons of the rat hypothalamus 47-52
 Kangawa K → Toshimori H 401-406
 Kása P → Dobó E 351-361
 Kashgarian MG → Kraeuter Kops S 415-424
 Kashiwamata S → Keino H 515-517
 Kasprzak A → Mazzocchi G 41-46
 Kaufmann P → Castellucci M 135-142
 Kawabe TT → Zelei BV 407-413
 Keicher E → Maggio K 149-156
 Keino H, Sato H, Kashiwamata S: Distribution of acid phosphatase and β -glu-

- curonidase in the hypoplastic cerebellum of jaundiced Gunn rats. An enzyme histochemical study 515-517
- Keith IM, Ekman R: PYY-like material and its spatial relationship with NPY, CGRP and 5-HT in the lung of the Syrian golden hamster 543-550
- Kern HF → Elsässer HP 143-148
- Khaledpour C → Riemann R 519-522
- Khouri EL, Marshall LA: Luteinization of human granulosa cells in vivo is associated with expression of MHC Class II antigens 217-224
- Kirchner C → Dannhorn DR 569-577
- Kiso Y, Yasufuku K, Matsuda H, Yamachi S: Existence of an endothelio-endothelial placenta in the insectivore, *Suncus murinus* 195-197
- Knight KA → Zelei BV 407-413
- Knighton DR → Phillips GD 81-88
- Knowles G → McKeown M 523-530
- Kobayashi M → Hayakawa M 199-201
- Kobylack MA → Schlussman SD 531-541
- Koenig JH, Ikeda K: Transformational process of the endosomal compartment in nephrocytes of *Drosophila melanogaster* 233-244
- Kondo H → Goto K 501-505
- Konopka LM → McKeown TW 461-466
- Korf H-W → Tamotsu S 205-216
- Kraeuter Kops S, Theoharides TC, Cronin CT, Kashgarian MG, Askenase PW: Ultrastructural characteristics of rat peritoneal mast cells undergoing differential release of serotonin without histamine and without degranulation 415-424
- Krisch B → Mentlein R 431-443
- Lane NJ, Flores V: The role of cytoskeletal components in the maintenance of intercellular junctions in an insect 373-385
- Lesourd M → Tournefier A 387-396
- Licht P → Gracia-Navarro F 171-176
- Lienhard MC → Stocker RF 9-34
- Liverani D → Halfter W 467-481
- Lopez GA → Anderson DG 99-104
- López JM → Diaz C 165-169
- Louie J → Meisami E 89-97
- Luciano L, Reale E: Brush cells of the mouse gallbladder. A correlative light- and electron-microscopical study 339-349
- Lundberg JM → Nilsson G 125-133
- Maggio K, Keicher E, Hernandez-Nicaise ML, Gillot I, Nicaise G: Quenching of a proton gradient and concomitant increase of intragranular calcium in interstitial cells of *Mytilus* retractor muscle. Fluorescence microscopy and X-ray microanalysis 149-156
- Malagón MM → Gracia-Navarro F 171-176
- Marshall LA → Khouri EL 217-224
- Martínez R → García-Arrarás JE 363-372
- Matsuda H → Kiso Y 195-197
- Matsukura S → Toshimori H 401-406
- Matsuo H → Toshimori H 401-406
- Mazzocchi G, Cavallini L, Kasprzak A, Rebuffat P, Nussdorfer GG: Effects of prolactin on the morphology and function of rat Leydig cells: short-term versus long-term administration 41-46
- McCulloch CAG → McKeown M 523-530
- McKeown TW, Carraway RE, Konopka LM, Parsons RL: Distribution of galanin-like peptide in various tissues of *Necturus maculosus*. A biochemical and immunohistochemical analysis 461-466
- McKeown M, Knowles G, McCulloch CAG: Role of the cellular attachment domain of fibronectin in the phagocytosis of beads by human gingival fibroblasts in vitro 523-530
- Meisami E, Louie J, Hudson R, Distel H: A morphometric comparison of the olfactory epithelium of newborn and weanling rabbits 89-97
- Meller K: Cryo-electron microscopy of vitrified nerve myelin 59-66
- Mentlein R, Buchholz C, Krisch B: Somatostatin-binding sites on rat telencephalic astrocytes. Light- and electron-microscopic studies in vitro and in vivo 431-443
- Messina A → Bertram JF 203
- Miething A: Intercellular bridges between germ cells in the immature golden hamster testis: evidence for clonal and non-clonal mode of proliferation 559-567
- Miki N → Goto K 501-505
- Mitsukawa T → Toshimori H 401-406
- Monard D → Halfter W 467-481
- Moravec J → Moravec M 315-327
- Moravec M, Moravec J, Forsgren S: Catecholaminergic and peptidergic nerve components of intramural ganglia in the rat heart. An immunohistochemical study 315-327
- Morita Y → Tamotsu S 205-216
- Nakazato M → Toshimori H 401-406
- Narita R → Toshimori H 401-406
- Nässel DR → Elekes K 177-190
- Nicaise G → Maggio K 149-156
- Niemann J → Bischof H-J 307-313
- Nilsson G, Alving K, Ahlstedt S, Hökfelt T, Lundberg JM: Peptidergic innervation of rat lymphoid tissue and lung: Relation to mast cells and sensitivity to capsaicin and immunization 125-133
- Nogueira AMMF → Barbosa AJA 425-430
- Nogueira JC → Barbosa AJA 425-430
- Nojyo Y → Caner H 53-57
- Nürnberg F → Schindler CU 293-300
- Nussdorfer GG → Mazzocchi G 41-46
- O'Carroll DC → Blest AD 445-460
- Okimura Y → Kagotani Y 47-52
- Oksche A → Rodríguez EM 105-113
- Oksche A → Tamotsu S 205-216
- Olivera JM → Olivera M 115-123
- Olivera M, Olivera JM: Corticotropin-like immunoreactivity in the brain and pituitary of three teleost species (goldfish, trout and eel) 115-123
- Oudar O, Ferrary E, Feldmann G: Adenylate cyclase and carbonic anhydrase in the semicircular canal epithelium of the frog *Rana esculenta*. An ultrastructural cytochemical localization 579-585
- Panzica GC → Vallarino M 507-513
- Parsons RL → McKeown TW 461-466
- Peng FS → Sainte-Marie G 263-271
- Phillips GD, Hoffman JR, Knighton DR: Migration of myogenic cells in the rat extensor digitorum longus muscle studied with a split autograft model 81-88
- Plisetskaya EM → Cheung R 283-292
- Polak JM → Barbosa AJA 425-430
- Ponder J → Anderson DG 99-104
- Porter D → Gracia-Navarro F 171-176
- Puplat D → Elsässer HP 143-148
- Reale E → Luciano L 339-349
- Rebuffat P → Mazzocchi G 41-46
- Redins CA → Barbosa AJA 425-430
- Reuss S → Riemann R 519-522
- Riemann R, Reuss S, Stehle J, Khaledpour C, Vollrath L: Circadian variations of "synaptic" bodies in the pineal glands of Brattleboro rats 519-522
- Rodríguez EM, Garrido O, Oksche A: Lectin histochemistry of the human fetal subcommissural organ 105-113
- Russom JM → Anderson DG 99-104
- Ryan GB → Bertram JF 203
- Sainte-Marie G, Peng FS: Atrophy of compartments of rat lymph nodes related to an entry of lethally altered lymphocytes 263-271
- Sato H → Keino H 515-517
- Sawada GA → Zelei BV 407-413
- Schindler CU, Nürnberger F: Hibernation-related changes in the immunoreactivity of neuropeptide systems in the supra-chiasmatic nucleus of the ground squirrel, *Spermophilus richardsonii*. With reference to observations in the hedgehog, *Erinaceus europaeus* 293-300
- Schlussman SD, Kobylack MA, Dunn-Meynell AA, Sharma SC: Afferent connections of the optic tectum in channel catfish *Ictalurus punctatus* 531-541
- Seidl K → Davidoff MS 253-261
- Sharma SC → Schlussman SD 531-541
- Southe JA → Gilbert CL 157-164
- Steel K → Carlisle L 329-337
- Stehle J → Riemann R 519-522
- Stengl M, Homberg U, Hildebrand JG: Acetylcholinesterase activity in antennal receptor neurons of the sphinx moth *Manduca sexta* 245-252
- Stephens RE, Good MJ: Filipin-sterol complexes in molluscan gill ciliated epithelial cell membranes: intercalation into ciliary necklaces and induction of gap junctional particle arrays 301-306
- Stocker RF, Lienhard MC, Borst A, Fischbach K-F: Neuronal architecture of the antennal lobe in *Drosophila melanogaster* 9-34
- Stowe S, Couet H-G de, Davis D: Photoreceptor membrane turnover in the crayfish *Cherax destructor*: electron microscopy and anti-rhodopsin electron-microscopic immunocytochemistry 483-499
- Takagi K → Izumi S 1-8
- Takahashi K → Izumi S 1-8
- Takeya M → Izumi S 1-8
- Tamamaki N → Caner H 53-57
- Tamotsu S, Korf H-W, Morita Y, Oksche

- A: Immunocytochemical localization of serotonin and photoreceptor-specific proteins (rod-opsin, S-antigen) in the pineal complex of the river lamprey, *Lampetra japonica*, with special reference to photoneuroendocrine cells 205-216
- Teng CS → Wang JJ 273-281
- Theoharides TC → Kraeuter Kops S 415-424
- Tolivia J → Díaz C 165-169
- Toshimori H, Narita R, Nakazato M, Asai J, Mitsukawa T, Kangawa K, Matsuo H, Matsukura S: Islet amyloid polypeptide (IAPP) in the gastrointestinal tract and pancreas of man and rat 401-406
- Tournefier A, Lesourd M, Gounon P: The axolotl thymus: cell types of the micro-environment. A scanning and transmission electron-microscopic study 387-396
- Tsuruo Y → Kagotani Y 47-52
- Uvelius B → Gabella G 67-79
- Vallarino M, Viglietti-Panzica C, Panzica GC: Immunocytochemical localization of vasotocin-like immunoreactivity in the brain of the cartilaginous fish, *Squalorhinus caniculus* 507-513
- Van Noorden S → Barbosa AJA 425-430
- Vercelli A, Cracco C: Effects of prepubertal castration on the spinal motor nucleus of the ischiocavernosus muscle of the rat 551-557
- Viglietti-Panzica C → Vallarino M 507-513
- Vigny M → Halfter W 467-481
- Vollrath L → Riemann R 519-522
- Walker CJ → Zelei BV 407-413
- Wang JJ, Chang JP, Teng CS: Immunocytochemical demonstration of the binding and internalization of growth hormone in GERL of Chang hepatoma cells 273-281
- Wathes DC → Gilbert CL 157-164
- Wentholt RJ → Dobó E 351-361
- Wolff JR → Dobó E 351-361
- Yamagata K → Goto K 501-505
- Yamamoto O: Three-dimensional architecture of the microvasculature in the rat foot-pad, with special reference to vasculature around the eccrine sweat glands. A scanning electron-microscopic study of corrosion casts 225-232
- Yamauchi S → Kiso Y 195-197
- Yasufuku K → Kiso Y 195-197
- Youson JH → Cheung R 283-292
- Zelei BV, Walker CJ, Sawada GA, Kawabe TT, Knight KA, Buhl AE, Johnson GA, Diani AR: Immunohistochemical and autoradiographic findings suggest that minoxidil is not localized in specific cells of vibrissa, pelage, or scalp follicles 407-413

Indexed in *Current Contents*